

Masonry-Swing Doors

SINGLE DOOR

Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	600	800	900	1100	1200	1200	(mm)
Cabin Depth	CD	1120	1200	1400	1400	1500	1650	(mm)
Shaft Width	SW	1120	1270	1370	1570	1670	1670	(mm)
Shaft Depth	SD	1220	1355	1555	1555	1655	1805	(mm)
Door Opening	DO	600	700	800	900	900	900	(mm)

SINGLE DOOR

Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	950	950	1300	1400	1500	1650	(mm)
Cabin Depth	CD	600	900	1000	1000	1200	1200	(mm)
Shaft Width	SW	1130	1130	1435	1535	1635	1785	(mm)
Shaft Depth	SD	1090	1390	1490	1490	1690	1690	(mm)
Door Opening	DO	800	800	900	900	900	1000	(mm)

ADJACENT DOORS


Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	600	800	1000	1200	1200	1200	(mm)
Cabin Depth	CD	1100	1200	1300	1200	1500	1650	(mm)
Shaft Width	SW	1090	1290	1490	1690	1690	1690	(mm)
Shaft Depth	SD	1280	1380	1480	1380	1680	1830	(mm)
Door Opening	D01	550	700	900	900	900	900	(mm)
Door Opening	D02	900	900	900	900	900	900	(mm)

THROUGH-CAR DOOR


Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	600	800	800	1100	1200	1200	(mm)
Cabin Depth	CD	1100	1200	1300	1400	1500	1650	(mm)
Shaft Width	SW	1120	1270	1270	1570	1670	1670	(mm)
Shaft Depth	SD	1300	1400	1500	1600	1700	1850	(mm)
Door Opening	DO	600	700	700	900	900	900	(mm)

Doppler IKOS SERIES


SINGLE DOOR




SINGLE DOOR



ADJACENT DOORS



THROUGH-CAR DOOR



Masonry-Automatic Doors

SINGLE DOOR

Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	700	800	1000	1100	1200	1200	(mm)
Cabin Depth	CD	1200	1200	1300	1400	1400	1650	(mm)
Shaft Width	SW	1170	1270	1470	1570	1670	1670	(mm)
Shaft Depth	SD	1530	1530	1630	1730	1730	1980	(mm)
Door Opening	DO	650	700	850	900	950	950	(mm)

SINGLE DOOR

Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	1050	1300	1200	1100	1400	1650	(mm)
Cabin Depth	CD	600	800	1200	1200	1200	1100	(mm)
Shaft Width	SW	1185	1435	1335	1235	1535	1785	(mm)
Shaft Depth	SD	1265	1465	1865	1765	1865	1765	(mm)
Door Opening	DO	650	800	700	650	850	900	(mm)

ADJACENT DOORS


Rated Load	Q	320	320	400	400	400	500(max)	(kg)
Cabin Width	CW	1000	1000	1100	1200	1100	1100	(mm)
Cabin Depth	CD	1300	1200	1200	1200	1400	1650	(mm)
Shaft Width	SW	1665	1665	1765	1865	1765	1765	(mm)
Shaft Depth	SD	1655	1555	1555	1555	1755	2005	(mm)
Door Opening	D01	750	700	750	800	850	850	(mm)
Door Opening	D02	750	750	750	800	800	800	(mm)

THROUGH-CAR DOOR


Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	700	800	1000	1100	1200	1200	(mm)
Cabin Depth	CD	1200	1200	1300	1400	1400	1650	(mm)
Shaft Width	SW	1170	1270	1470	1570	1670	1670	(mm)
Shaft Depth	SD	1750	1750	1850	1950	1950	2200	(mm)
Door Opening	DO	650	700	850	900	950	950	(mm)

Doppler IKOS SERIES


SINGLE DOOR




SINGLE DOOR



ADJACENT DOORS



THROUGH-CAR DOOR



IKOS T/20

Steel Shaft-Swing Doors

SINGLE DOOR

Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	600	800	900	1100	1200	1200	(mm)
Cabin Depth	CD	1120	1200	1400	1400	1500	1650	(mm)
Shaft Width	SW	1240	1390	1490	1690	1790	1790	(mm)
Shaft Depth	SD	1314	1462	1662	1662	1762	1912	(mm)
Door Opening	DO	600	700	800	900	900	900	(mm)

SINGLE DOOR

Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	950	950	1300	1400	1500	1650	(mm)
Cabin Depth	CD	600	900	1000	1000	1200	1200	(mm)
Shaft Width	SW	1257	1257	1529	1629	1729	1879	(mm)
Shaft Depth	SD	1223	1523	1623	1623	1823	1823	(mm)
Door Opening	DO	800	800	900	900	900	1000	(mm)

ADJACENT DOORS


Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	600	800	1000	1200	1200	1200	(mm)
Cabin Depth	CD	1100	1200	1300	1200	1500	1650	(mm)
Shaft Width	SW	1223	1423	1623	1823	1823	1823	(mm)
Shaft Depth	SD	1387	1487	1587	1487	1787	1937	(mm)
Door Opening	D01	550	700	900	900	900	900	(mm)
Door Opening	D02	900	900	900	900	900	900	(mm)

THROUGH-CAR DOOR


Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	600	800	800	1100	1200	1200	(mm)
Cabin Depth	CD	1100	1200	1300	1400	1500	1650	(mm)
Shaft Width	SW	1240	1390	1390	1690	1790	1790	(mm)
Shaft Depth	SD	1420	1520	1620	1720	1820	1970	(mm)
Door Opening	DO	600	700	700	900	900	900	(mm)

Doppler IKOS SERIES


SINGLE DOOR




SINGLE DOOR



ADJACENT DOORS



THROUGH-CAR DOOR



IKOS T/20

Steel Shaft-Automatic Doors

SINGLE DOOR

Rated Load	Q	250	320	400	450	450	500(max)	(kg)
Cabin Width	CW	700	800	1000	1100	1200	1200	(mm)
Cabin Depth	CD	1200	1200	1300	1400	1400	1650	(mm)
Shaft Width	SW	1290	1390	1590	1690	1790	1790	(mm)
Shaft Depth	SD	1624	1624	1724	1824	1824	2074	(mm)
Door Opening	DO	600	700	800	900	950	950	(mm)

SINGLE DOOR

Rated Load	Q	250	320	400	400	450	500(max)	(kg)
Cabin Width	CW	1050	1300	1200	1100	1400	1650	(mm)
Cabin Depth	CD	600	800	1200	1100	1200	1100	(mm)
Shaft Width	SW	1279	1529	1429	1329	1629	1879	(mm)
Shaft Depth	SD	1385	1585	1985	1885	1985	1885	(mm)
Door Opening	DO	600	800	700	650	850	850	(mm)

ADJACENT DOORS


Rated Load	Q	320	320	400	400	450	500(max)	(kg)
Cabin Width	CW	1000	1000	1100	1200	1100	1100	(mm)
Cabin Depth	CD	1300	1200	1200	1200	1400	1650	(mm)
Shaft Width	SW	1785	1785	1885	1985	1885	1885	(mm)
Shaft Depth	SD	1749	1649	1649	1649	1849	2099	(mm)
Door Opening	D01	750	700	750	800	850	850	(mm)
Door Opening	D02	750	750	750	800	800	800	(mm)

THROUGH-CAR DOOR


Rated Load	Q	250	320	320	400	450	500(max)	(kg)
Cabin Width	CW	700	800	1000	1100	1200	1200	(mm)
Cabin Depth	CD	1200	1200	1300	1400	1400	1650	(mm)
Shaft Width	SW	1290	1390	1590	1690	1790	1790	(mm)
Shaft Depth	SD	1844	1844	1944	2044	2044	2294	(mm)
Door Opening	DO	600	700	850	900	950	950	(mm)

Doppler IKOS SERIES


SINGLE DOOR




SINGLE DOOR



ADJACENT DOORS



THROUGH-CAR DOOR



IKOS T/20